



MATERIAL SAFETY DATA SHEET

CHISEL

SECTION 1 – CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: Chisel Oven Cleaner
GENERAL/GENERIC NAME:
PRODUCT USE: High viscosity caustic cleaner
EFFECTIVE DATE: August 21, 2014
VENDOR NAME AND ADDRESS: Alpine Specialty Chemicals Ltd.
9 City View Drive, Etobicoke, Ontario M9W 5A5
24 HOUR EMERGENCY NO. 613-996-6666

SECTION 2 – COMPOSITION / INFORMATION INGREDIENTS

INGREDIENT	%W/W	CAS.NO	TLV	LD50 / LC50
Potassium Hydroxide	20 – 30	1310-58-3	2mg/m3	Oral 365 mg/kg (rat)
Glycol Ether DM	1 – 10	111-77-3	ND	ND
Propylene Glycol	1 – 5	57-55-6	ND	ND

SECTION 3 – HAZARDS IDENTIFICATION

Route of Entry:

Skin Contact: Cause burns.

Eye Contact: Causes burns.

Inhalation: Causes burns.

Ingestion: Causes burns.

Effects of Acute Exposure: (see section 11 for Toxicological information).

SECTION 4 – FIRST AID

Eyes: Flush with running water for at least 15 minutes while holding eyelids open. Get medical attention.

Skin Contact: Flush contaminated skin with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing thoroughly before re-use. Seek medical attention if skin is burned or symptoms continue.

Inhalation: Remove victim to fresh air. Aid in breathing if necessary. If breathing stops, administer artificial respiration. Seek medical attention. Effects may be delayed for a few hours and aggravated by physical exertion.

Ingestion: Give plenty of water to drink to dilute stomach contents. **Do not induce vomiting.** Seek immediate medical attention.

Note to Physician: Risk of corneal injury and possible blindness if splashed into eyes.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT: Not Applicable

FLAMMABLE LIMITS: Not Applicable

AUTO-IGNITION TEMP: Not Applicable

EXTINGUISHING MEDIA: As for surrounding fire.

SPECIAL FIREFIGHTING PROCEDURES:

EXPLOSION DATA: Contact with soft metals such as aluminum and galvanized can

HAZARDOUS COMBUSTION PRODUCTS: Not Applicable

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak/Spill: Contain spill; absorb onto inert material.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures: Avoid all skin contact. Ventilate adequately, otherwise wear an appropriate breathing apparatus. Avoid contact with eyes, skin or clothing. Keep container closed when not in use.

MATERIAL SAFETY DATA SHEET

CHISEL

Storage Procedures: Keep from freezing. Keep containers closed when not in use.

SECTION 8 – EXPOSURE CONTROLS

PROTECTIVE EQUIPMENT TO BE USED:

RESPIRATORY PROTECTION: Not normally required. Wear NIOSH approved respirator if vapour in air causes irritation.

VENTILATION: General ventilation adequate.

PROTECTIVE GLOVES: Rubber or Nitrile

EYE PROTECTION: Wear goggles or full face shield

OTHER PROTECTIVE MEASURES: As needed to prevent contact with clothing.

SECTION 9 – PHYSICAL PROPERTIES

PHYSICAL STATE: Liquid

APPEARANCE AND ODOUR: Dark viscous liquid, Mild odour

ODOUR THRESHOLD: Not Available

SPECIFIC GRAVITY: 1.23

VAPOUR PRESSURE: As water

VAPOUR DENSITY: As water

PH: 14

EVAPORATION RATE: As water

INITIAL BOILING POINT: 102°C

WATER SOLUBILITY: Complete

FREEZING POINT: Not Available

SECTION 10 – STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Do not mix with acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contact with aluminum, zinc, tin or galvanized metals.

SECTION 11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE: ACGIH TLV-TWA-Potassium Hydroxide 2mg/M³

EFFECTS OF ACCUTE EXPOSURE: Will aggravate pre-existing dermatitis

SKIN CONTACT: Corrosive. Causes burns and irritation

EYE CONTACT: Corrosive. Causes burns.

INHALATION: Spray mist irritating; Possible tissue damage. Not a likely route of entry because of the viscous nature of the product.

INGESTION: Corrosive. Causes burns to mouth, throat and esophagus.

EFFECT OF CHRONIC EXPOSURE: No Data Available

IRRITANCY OF PRODUCT: Serious irritant

CARCINOGENICITY: None

SENSITIZATION TO MATERIAL: Not Available

REPRODUCTION TOXICITY: None

TERATOGENICITY: Not Available

MUTAGENICITY: Not Available

SECTION 12 – ECOLOGICAL CONSIDERATION

No permanent effects on ecosystems.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: In accordance with federal, provincial or local government requirements.

SECTION 14 – TRANSPORT INFORMATION

MATERIAL SAFETY DATA SHEET

CHISEL

TDG Classification: Corrosive Liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)
Class 8 UN 3266 Packing Group III

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: D2B, E

SECTION 16 – OTHER INFORMATION

Prepared by: Lab Personnel

Phone: (416) 744-2120

Website: www.alpinechem.com

Disclaimer:

The information contained in this form is based on data from sources considered technically reliable and has been provided in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond our control. No warranty, expressed or implied, is made and we will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information in this form.