

# SAFETY DATA SHEET



PRODUCT: 6903 STEELSHINE 397G

## Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION January 01-16

SUPPLIER:.....ALPINE SPECIALTY CHEMICALS LTD.  
9 CITY VIEW DRIVE, ETOBICOKE,  
ON, M9W 5A5  
CANUTEC EMERGENCY #:1-613-996-6666(24HR)  
PRODUCT NAME.....6903 STEEL SHINE 397G  
CHEMICAL FAMILY.....ORGANIC COATING.  
MOLECULAR WEIGHT.....NOT APPLICABLE.  
CHEMICAL FORMULA.....NOT APPLICABLE.  
TRADE NAMES & SYNONYMS.....STAINLESS STEEL CLEANER  
PRODUCT USES.....CLEANER.

## Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route,Species	LC/50 Route,Species
ODOURLESS MINERAL SPIRITS	30 - 60	100 ppm	64742-48-9	5000 mg/kg ORAL - RAT	5,500mg/m3(4h)
HEPTANE	10-30	400 ppm	142-82-5	>15000 mg/kg ORAL-RAT	NOT AVAILABLE
ISOPROPANOL	1-5	400 ppm	67-63-0	>4720 mg/kg ORAL - RAT	12000 ppm (8hr) INHAL - RAT
ISOBUTANE	7-13	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE	10-30	1000 ppm	74-98-6	>5000 mg/kg DERMAL-RABBITS	NOT AVAILABLE

## Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:  
INGESTION.....MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.  
INHALATION.....INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.  
EYE CONTACT.....MAY CAUSE IRRITATION.  
SKIN ABSORPTION.....NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.  
SKIN CONTACT.....MAY CAUSE IRRITATION.  
EFFECTS OF ACUTE EXPOSURE.....DIZZINESS, NAUSEA, IRRITATION TO SKIN & EYES.  
EFFECTS OF CHRONIC EXPOSURE.....SOLVENTS MAY CAUSE DEFATTING DERMATITIS  
EXPOSURE LIMIT OF MATERIAL.....SEE SECTION 2.

## Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE ..... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

## Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C).....NOT AVAILABLE.  
SPECIAL PROCEDURES.....WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.  
FLAMMABILITY.....EXTREMELY FLAMMABLE.  
IF YES, UNDER WHICH CONDITIONS?.....EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
EXTINGUISHING MEDIA.....WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
FLASH POINT (C), TAG CLOSED CUP.....LOWEST KNOWN VALUE IS HEPTANE @ -4C.  
UPPER FLAMMABLE LIMIT.....9.5.  
(% BY VOLUME)  
LOWER FLAMMABLE LIMIT.....0.6.  
(% BY VOLUME)  
EXPLOSION DATA  
SENSITIVITY TO STATIC DISCHARGE.....NOT APPLICABLE.  
SENSITIVITY TO IMPACT.....NOT APPLICABLE.  
HAZARDOUS COMBUSTION PRODUCTS.....HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
AEROSOL FLAME PROJECTION

**PRODUCT: 6903 STEEL SHINE 397G****Section 05: FIRE FIGHTING MEASURES**

CLASSIFIED AS:..... >15cm BUT <100cm.  
FLASHBACK..... NOT DETERMINED.

**Section 06: ACCIDENTAL RELEASE MEASURES**

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

**Section 07: HANDLING AND STORAGE**

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.  
ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).  
HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.  
SYNERGISTIC MATERIALS..... NONE KNOWN.

**Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION**

GLOVES/ TYPE..... WEAR CHEMICAL RESISTANT GLOVES.  
RESPIRATORY/TYPE..... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.  
EYE/TYPE..... SAFETY GLASSES.  
FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.  
OTHER/TYPE..... NOT REQUIRED.

**Section 09: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE..... AEROSOL.  
APPEARANCE..... CLEAR.  
ODOR..... HYDROCARBON.  
ODOR THRESHOLD..... NOT AVAILABLE.  
VAPOUR PRESSURE(PSIG)-AEROSOL..... 55-65.  
@ 20 C  
BOILING POINT (°C)(CONC)..... BASED ON HEPTANE @ 90.6C & ISOPAR K @ 197C.  
EVAPORATION RATE..... LESS THAN 1.  
n-BUTYL ACETATE = 1  
VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.  
(BY WEIGHT)  
SOLUBILITY IN WATER g/L (20°C)..... NOT AVAILABLE.  
pH..... NOT APPLICABLE.  
SPECIFIC GRAVITY (LIQUID)..... 0.73-0.76.  
COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.  
FREEZING POINT: (°C)..... NOT AVAILABLE.  
AEROSOL PERCENT VOLATILE..... 99-100.  
(BY WEIGHT).  
SPECIFIC GRAVITY (AEROSOL)..... 0.66-0.74.

**Section 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
CHEMICAL STABILITY:  
YES..... UNDER NORMAL CONDITIONS.  
NO, WHICH CONDITIONS?..... NOT APPLICABLE.  
COMPATIBILITY WITH OTHER SUBSTANCES:  
NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.  
REACTIVITY CONDITIONS?..... NOT APPLICABLE.  
HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

**Section 11: TOXICOLOGICAL INFORMATION**

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.  
IRRITANCY OF MATERIAL..... SLIGHT.  
SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.  
CARCINOGENICITY OF MATERIAL..... THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).  
TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.  
MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

**PRODUCT: 6903 STEEL SHINE 397G****Section 12: ECOLOGICAL CONSIDERATIONS**

ENVIRONMENTAL..... NOT AVAILABLE.

**Section 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

**Section 14: TRANSPORTATION INFORMATION**T.D.G. CLASSIFICATION..... CONSUMER COMMODITY( AEROSOLS, UN1950, CLASS 2.1).  
D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.**Section 15: REGULATORY INFORMATION****CANADIAN REGULATIONS:**WHMIS CLASSIFICATION..... A,B5,D2B.  
CNFC SECTION 3.3.5..... LEVEL 2.  
CEPA (Canadian Environmental Protection Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.**U.S. REGULATIONS:**HMIS RATING HEALTH..... 1 SLIGHT HAZARD.  
HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.  
HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.  
HMIS RATING PERSONAL PROTECTION..... B.  
NFPA CODE 30B..... LEVEL 2.  
SARA 313 INFORMATION: THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.  
CAS #: CHEMICAL NAME:  
N/A.  
CALIFORNIA PROPOSITION 65: THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:  
WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.  
. CAS #: CHEMICAL NAME:  
. N/A.  
TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.  
AEROSOL PERCENT VOC (w/w)..... 77-78.**Section 16: OTHER INFORMATION****DISCLAIMER:**

NOTICE TO READER..... INFORMATION FOR THIS MATERIAL SAFETY DATA SHEET WAS OBTAINED FROM SOURCES CONSIDERED TECHNICALLY ACCURATE AND RELIABLE. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE AND THE SUPPLIER WILL NOT BE LIABLE FOR ANY LOSSES, INJURIES OR CONSEQUENTIAL DAMAGES, WHICH MAY RESULT FROM THE USE OF OR RELIANCE ON ANY INFORMATION, CONTAINED IN THIS FORM.

PREPARED BY..... TECHNICAL SERVICES

PREPARATION DATE ..... Jan 01-17