

# SAFETY DATA SHEET SEQUEST

## SECTION 1 – CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: SEQUEST  
 PRODUCT USE: Clinging foam detergent.  
 VENDOR NAME AND ADDRESS: Alpine Specialty Chemicals Ltd.  
 9 City View Drive, Etobicoke, Ontario M9W 5A5  
 24 HOUR EMERGENCY NO. 613-996-6666 ( CANUTEC )

## SECTION 2 – HAZARDS IDENTIFICATION

### CLASSIFICATION

- SKIN CORROSION /IRRITATION Category 1, EYE DAMAGE IRRITATION Category 1

### LABEL ELEMENTS



- SIGNAL WORD: DANGER
- HAZARD STATEMENT(S): CAUSES SKIN CORROSION AND EYE DAMAGE.
- PRECAUTIONARY STATEMENTS: Wash skin thoroughly after handling. Wear chemical safety glasses and nitrile gloves. Do not mix with acids. Dispose of contents/ containers in accordance with local regulations.
- Response: - IF ON EYES: Wash with plenty of water. Get medical attention.

IF SWALLOWED: Immediately call a poison center or doctor. Rinse mouth.

IF ON SKIN: Wash with plenty of water. Get medical attention. Take off contaminated clothes and wash it before reuse.

## SECTION 3 – COMPOSITION / INFORMATION INGREDIENTS

CHEMICAL NAME	%	CAS.NO
Sodium Silicate	5 -10	1344-09-8
Fatty alcohol ethoxylate	10-20	9002-92-0
Potassium Hydroxide	5-10	1310-58-3
Sodium Laureth Sulphate	5-10	32612-48-9

## SECTION 4 – FIRST AID MEASURES

**Inhalation:** Remove source of exposure or move to fresh air. Call a poison centre or doctor.

**Skin Contact:** Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue rinsing. Get medical attention immediately.

**Ingestion:** Call a doctor immediately. Rinse mouth. Do not induce vomiting.

**Note to physician:** Treat symptomatically, no specific antidote. See toxicological information (section 11)

# SAFETY DATA SHEET

## SEQUEST

### SECTION 5 – FIRE FIGHTING MEASURES

**Extinguishing Media:**

**Suitable Extinguishing Media:** Use water spray, fog or foam.

**Unsuitable Extinguishing Media:** None known

**Specific hazards arising from the product:** Not flammable.

**Hazardous thermal decomposition products:** Decomposition products may include the following materials: carbon dioxide and carbon monoxide.

**Advice for fire-fighters:** Not available.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:**

Wear suitable protective clothing. Wear eye/face protection.

**Environmental precautions:** Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.

**Methods and materials for containment and cleaning up:** Use a water rinse for final clean-up.

### SECTION 7 – HANDLING AND STORAGE

**Precautions for safe handling:** Ventilate adequately, otherwise wear an appropriate breathing apparatus. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

**Storage Procedures:** Keep containers closed when not in use. Do not store near acids. Store between the following temperatures: 15 to 40°C.

### SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

CHEMICAL NAME	ACGIH TLV		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8 hour TWA	Short term TWA ©
Sodium Silicate	2 mg/m <sup>3</sup>		Not available		Not available	
Fatty alcohol ethoxylate	Not available		Not available		Not available	
Potassium Hydroxide	2 mg/m <sup>3</sup>		2mg/ m <sup>3</sup>		2mg/ m <sup>3</sup>	

ACGIH= American Conference of Governmental Industrial Hygienists. TLV = Threshold Limit Value. TWA = Time-weighted Average. STEL = Short-term Exposure Limit OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits. AIHA = AIHA Guideline Foundation. WEEL = Workplace Environmental Exposure Limit.

**Appropriate Engineering Control:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual Protection Measure:**

**Eye/Face Protection:** Do not get into eyes. Wear chemical safety goggles.

**Skin Protection:** Personal protective equipment comprising: nitrile gloves, safety goggles and protective clothing.

**Respiratory protection:** Not required

**Inhalation:** No special measures required. Treat symptomatically.

# SAFETY DATA SHEET

## SEQUEST

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Liquid, light brown colour.
<b>Odour:</b>	No scent.
<b>pH :</b>	13.5 ( 100 % )
<b>Melting Point:</b>	Not available
<b>Boiling point:</b>	> 100 °C
<b>Flash Point:</b>	Not available
<b>Vapour pressure:</b>	Not available
<b>Vapour density:</b>	Not available
<b>Evaporation Rate:</b>	Not available
<b>Flammability:</b>	Not available
<b>Explosive Limit:</b>	Not available
<b>Lower flammable/explosive limit:</b>	Not available
<b>Upper flammable/explosive limit:</b>	Not available
<b>Relative Density:</b>	Approx. = 1.13 ( Water = 1 )
<b>Viscosity:</b>	Not available
<b>Solubility in water:</b>	Soluble
<b>Auto ignition temperature</b>	Not available
<b>Partition coefficient - n-octanol/water:</b>	Not available
<b>Decomposition temperature:</b>	Not available

### SECTION 10 – STABILITY AND REACTIVITY

STABILITY:	Stable
INCOMPATIBILITY:	Acids.
HAZARDOUS DECOMPOSITION PRODUCTS:	None
HAZARDOUS POLYMERIZATION:	Will not occur.
CONDITIONS TO AVOID:	Avoid contact with strong acids.

### SECTION 11 – TOXICOLOGICAL INFORMATION

Chemical Name	LC50	LD50	LD50 ( dermal )
Sodium Silicate	2 mg mg/m <sup>3</sup>	Not Available	Not Available
Fatty alcohol ethoxylate	Not Available	>2000 mg/kg ( rat )	>2000 mg/kg ( rabbit )
Potassium Hydroxide	80 mg/l ( daphnia )	273 mg/kg ( rat )	ATE > 2000 mg/kg

**Routes of exposure:** Skin contact, Eye contact, Ingestion, Inhalation.

**Eye contact:** Causes serious eye damage.

**Skin contact.** Causes skin corrosion.

**Ingestion:** May cause burns to mouth, throat and stomach.

# SAFETY DATA SHEET

## SEQUEST

**Inhalation:** May cause nose, throat, and lung irritation.

**Acute toxicity:**

**Eye contact:** Causes eye redness, damage.

**Skin contact:** Causes burns. May cause an allergic skin reaction.

**Inhalation:** Respiratory irritation.

**Germ cell mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic .

**Carcinogenicity:** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA

**Ingestion:** May cause burns to mouth, throat and stomach.

**Reproductive toxicity:** No evidence of reproductive toxicity or developmental toxicity.

**STOT - single exposure** irritating to respiratory system.

**STOT - Not classified.**

**Aspiration hazard:** Not classified.

### SECTION 12 – ECOLOGICAL CONSIDERATION

**Eco toxicity :** This material may be harmful to aquatic life.

**Bio accumulative potential Inorganic:** The substance has no potential for bioaccumulation.

**Mobility in soil:** Not applicable.

**Other adverse effects:** Not known.

### SECTION 13 – DISPOSAL CONSIDERATIONS

**Waste Disposal:** In accordance with federal, provincial or local government requirements.

### SECTION 14 – TRANSPORT INFORMATION

**TDG Classification:** UN 3266 Corrosive Liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)  
Class 8 , Packing Group III

### SECTION 15 – REGULATORY INFORMATION

Refer to section 2.

### SECTION 16 – OTHER INFORMATION

EFFECTIVE DATE:

May 28, 2018: **Revision 1**

Prepared by: Lab Personnel

Phone: (416) 744-2120

Website: [www.alpinechem.com](http://www.alpinechem.com)

**Disclaimer:**

The information contained in this form is based on data from sources considered technically reliable and has been provided in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond our control. No warranty, expressed or implied, is made and we will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information in this form.